

**SUPPLEMENTAL
EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

On specification page 122, under the column heading "2", the illegible data in the bottom line has been replaced with " 1.6×10^3 ".

The legible data was obtained from related patent 4722868, which has the same specification as this application.

In addition, the "copy of email" which was supposed to be attached to the Notice of Allowability is provided here.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary E. Mosher whose telephone number is (571)272-0906. The examiner can normally be reached on varying dates and times; please leave a message.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Nolan can be reached on 571-272-0847. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Mary E Mosher/
Primary Examiner, Art Unit 1648

2/24/10